APPENDIX

Clean Copy of All Pending Claims after Amendment (for the Examiner's convenience only)

What is claimed is:

- 1. A composition comprising (a) a polyester; (b) a wax-modified polymer; and (c) a zeolite, wherein the polyester has a glass transition temperature greater than -30 °C.
- 2. The composition of claim 1, wherein the polyester comprises at least one aryl group.
- 3. The composition of claim 1, wherein the polyester comprises polyethylene terephthalate.
- 4. The composition of claim 1, wherein the glass transition temperature is greater than -20 °C.
- 5. The composition of claim 1, wherein the glass transition temperature is from -30 °C to 50 °C.
- 6. The composition of claim 1, wherein the polyester comprises from 1% to 50% by weight of the composition.
- 7. The composition of claim 1, wherein the wax-modified polymer comprises a wax and a polymer, wherein the wax is covalently bonded to the polymer.
- 8. The composition of claim 7, wherein the wax comprises paraffin.
- 9. The composition of claim 7, wherein the polymer comprises one or more of a phenolic resin or a urea resin.

- 10. The composition of claim 7, wherein the polymer comprises a melamine resin or a derivative thereof.
- 11. The composition of claim 1, wherein the wax-modified polymer comprises a paraffinmelamine resin.
- 12. The composition of claim 1, wherein the wax-modified polymer comprises from 1% to 50% by weight of the composition.
- 13. The composition of claim 1, wherein the zeolite comprises a mixture of SiO_2 , Al_2O_3 , and Na_2O .
- 14. The composition of claim 1, wherein the zeolite comprises mordenite.
- 15. The composition of claim 1, wherein the zeolite comprises from 1% to 40% by weight of the composition.
- 16. The composition of claim 1, wherein the polyester comprises from 1% to 50% by weight of the composition, the wax-modified polymer comprises from 1% to 50% by weight of the composition, and the zeolite comprises from 1% to 40% by weight of the composition, wherein the sum of the amount of the polyester, the wax-modified polymer, and zeolite is less than or equal to 100%.
- 17. The composition of claim 1, wherein the composition further comprises a surfactant.
- 18. The composition of claim 17, wherein the surfactant comprises a neutral surfactant or cationic surfactant.

- 19. The composition of claim 17, wherein the surfactant comprises an anionic surfactant.
- 20. The composition of claim 17, wherein the surfactant comprises a sulfonated surfactant.
- 21. The composition of claim 17, wherein the surfactant comprises a disodium alpha olefin sulfonate.
- 22. The composition of claim 17, wherein the surfactant comprises from 1% to 2% by weight of the composition.
- 23. The composition of claim 1, wherein the composition further comprises one or more of a metal oxide or the salt thereof, wherein the metal oxide is not a zeolite.
- 24. The composition of claim 23, wherein the metal oxide comprises an oxide of silicon, aluminum, titanium, zirconium, or a combination thereof.
- 25. The composition of claim 23, wherein the metal oxide comprises zinc oxide.
- 26. The composition of claim 23, wherein the metal oxide comprises from 1% to 20% by weight of the composition.
- 27. The composition of claim 1, wherein the composition further comprises a solvent.
- 28. The composition of claim 27, wherein the solvent comprises an organic solvent, water, or a combination thereof.
- 29. The composition of claim 1, wherein the composition further comprises an anionically modified phenol formaldehyde polymer comprising a phenol moiety and a formaldehyde moiety,

a naphthalene condensate, a lignin sulfonate, a phenol sulfonate derivative, a fluorocompound, a metal oxide, an aluminum polymer, a binder, or a combination thereof.

- 30. The composition of claim 1, wherein the composition is substantially in the absence of a hydrazine compound or an amine compound, wherein the amine compound has a particle diameter less than or equal to $20 \mu m$.
- 31. The composition of claim 1, wherein the composition does not contain a hydrazine compound or an amine compound, wherein the amine compound has a particle diameter less than or equal to $20 \mu m$.
- 32. The composition of claim 1, wherein the composition consists essentially of the polyester, the wax-modified polymer, and zeolite.
- 33. The composition of claim 1, wherein the polyester comprises polyethylene terephthalate, the wax-modified polymer comprises a paraffin-melamine resin, and the zeolite comprises mordenite.
- 34. The composition of claim 33, wherein the composition further comprises disodium alpha olefin sulfonate.
- 35. The composition of claim 34, wherein the composition further comprises zinc oxide.
- 36. A composition comprising (a) a polyester; (b) a wax-modified polymer; and (c) a zeolite, wherein the composition is substantially in the absence of an amine compound or a hydrazine compound, wherein the amine compound has a particle diameter less than or equal to 20 µm.
- 37. A composition comprising (a) a polyester; (b) a wax-modified polymer; and (c) a zeolite,

wherein the composition does not contain an amine compound or a hydrazine compound, wherein the amine compound has a particle diameter less than or equal to 20 µm.

- 38. A composition comprising (a) a polyester; (b) a wax-modified polymer; and (c) a zeolite, wherein the zeolite comprises a mixture of SiO₂, Al₂O₃, and Na₂O.
- 39. A composition comprising (a) a polyester; (b) a wax-modified polymer; and (c) activated carbon.
- 40. A composition made by the process comprising admixing a polyester, a wax-modified polymer, and zeolite, wherein the polyester has a glass transition temperature greater than -30 °C.
- 41. A composition made by the process comprising admixing a polyester, a wax-modified polymer, and zeolite, wherein an amine compound or a hydrazine compound is not added to the mixture, wherein the amine compound has a particle diameter less than or equal to 20 µm.
- 42. A composition made by the process comprising admixing a polyester, a wax-modified polymer, and zeolite, wherein the zeolite comprises a mixture of SiO₂, Al₂O₃, and Na₂O.
- 43. A composition made by the process comprising admixing a polyester, a wax-modified polymer, and activated carbon.
- 44. A method for imparting odor-resistance to an article, comprising contacting the article with the composition of claim 1.
- 45. A method for imparting odor-resistance to an article, comprising contacting the article with the composition of claim 36.

- 46. A method for imparting odor-resistance to an article, comprising contacting the article with the composition of claim 37.
- 47. A method for imparting odor-resistance to an article, comprising contacting the article with the composition of claim 38.
- 48. A method for imparting odor-resistance to an article, comprising contacting the article with the composition of claim 39.
- 49. A method for imparting odor-resistance to an article, comprising contacting the article with the composition of claim 40.
- 50. A method for imparting odor-resistance to an article, comprising contacting the article with the composition of claim 41.
- 51. A method for imparting odor-resistance to an article, comprising contacting the article with the composition of claim 42.
- 52. A method for imparting odor-resistance to an article, comprising contacting the article with the composition of claim 43.
- 53. An article comprising the composition of claim 1.
- 54. The article of claim 53, wherein the article comprises carpet.
- 55. An article comprising the composition of claim 36.
- 56. An article comprising the composition of claim 37.

- 57. An article comprising the composition of claim 38.
- 58. An article comprising the composition of claim 39.
- 59. An article comprising the composition of claim 40.
- 60. An article comprising the composition of claim 41.
- 61. An article comprising the composition of claim 42.
- 62. An article comprising the composition of claim 43.